


Temporal Trends and Geographic Comparisons



Whidbey Basin - 1997




Triad Index	
Category	Score
Unimpacted	>81-100
Likely unimpacted	>57-81
Possibly impacted	>35-57
Likely impacted	>5-35
Clearly Impacted	0-5
Inconclusive	


1997 Whidbey Basin Summary

- *Likely to clearly impacted* stations occurred in Everett Harbor only.
- The Benthic Index showed the poorest quality in most samples.
- Weighted mean Triad Index (wmTriad) increased from 74.0 in 1997 to 79.6 in 2007.


Chemistry Index




Toxicity Index




Benthic Index





Temporal Trends and Geographic Comparisons



Whidbey Basin - 2007



Triad Index	
Category	Score
Unimpacted	>81-100
Likely unimpacted	>57-81
Possibly impacted	>35-57
Likely impacted	>5-35
Clearly Impacted	0-5
Inconclusive	

2007 Whidbey Basin Summary

- Two *possibly impacted* and one *likely impacted* sample, in Saratoga Passage and Everett Harbor respectively.
- The Benthic Index showed the poorest quality in about half of the samples.
- Weighted mean Triad Index (wmTriad) increased from 74.0 in 1997 to 79.6 in 2007.

Chemistry Index

Toxicity Index

Benthic Index

