

1
2
3
4

ADDENDUM J
CONTINGENCY PLAN

1
2
3
4

This page intentionally left blank.

DRAFT

**ADDENDUM J
CONTINGENCY PLAN**

1
2
3 J. CONTINGENCY PLANJ.1
4 J.1 BUILDING EVACUATION ROUTING (BUILDING LAYOUT).....J.3
5 J.2 BUILDING EMERGENCY DIRECTORJ.3
6 J.3 IMPLEMENTATION OF THE PLANJ.3
7 J.3.1 Protective Actions ResponsesJ.4
8 J.3.2 Response to Facility Operations Emergencies.....J.5
9 J.3.3 Prevention of Recurrence or Spread of Fires, Explosions, or ReleasesJ.7
10 J.3.4 Incident Recovery and Restart of OperationsJ.7
11 J.3.5 Incompatible WasteJ.7
12 J.3.6 Post Emergency Equipment Maintenance and DecontaminationJ.8
13 J.4 EMERGENCY EQUIPMENT.....J.8
14 J.4.1 Fixed Emergency Equipment.....J.8
15 J.4.2 Portable Emergency EquipmentJ.8
16 J.4.3 Communications Equipment/Warning SystemsJ.8
17 J.4.4 Personal Protective EquipmentJ.9
18 J.4.5 Spill Control and Containment Supplies.....J.9
19 J.4.6 Incident Command Post.....J.9
20 J.5 REQUIRED REPORTSJ.9
21 J.6 PLAN LOCATION AND AMENDMENTS.....J.9
22 J.7 FACILITY/BUILDING EMERGENCY RESPONSE ORGANIZATION BUILDING
23 EMERGENCY DIRECTOR.....J.9
24
25
26
27

1
2
3
4
5

This page intentionally left blank.

DRAFT

1 **J CONTINGENCY PLAN**

2 The requirements in this Contingency Plan are applicable to waste that is regulated by WAC 173-303
3 (e.g. dangerous and/or mixed waste). Pursuant to [WAC 173-303-350](#)(2), and according to the provisions
4 of this Addendum J, the Hanford Facility Permit WA7890008967 (Permit) Attachment 4, *Hanford*
5 *Emergency Management Plan* (DOE/RL-94-02), and the Building Emergency Plan specific to Central
6 Waste Complex (CWC) will be amended to incorporate requirements of [WAC 173-303-350](#) and [WAC](#)
7 [173-303-360](#) within 30 days of the effective date of the permit.

8 Table J.1 identifies the sections of the unit-specific building emergency plan written to meet
9 [WAC 173-303-350](#)(3) contingency plan requirements identified in this addendum. In addition,
10 Section 12.0 of the unit-specific CWC building emergency plan is written to meet [WAC 173-303-350](#) and
11 [WAC 173-303-360](#) requirements. Copies of Permit Attachment 4, *Hanford Emergency Management*
12 *Plan* (DOE/RL-94-02) and the building emergency plan are located and maintained on the Hanford
13 Facility and available as identified in Section J.6. Revisions to Addendum J require a Permit
14 modification subject to [WAC 173-303-830](#) and Permit Condition I.C.3. The unit specific building
15 emergency plan also serves to satisfy a broad range of other requirements [e.g., Occupational Safety and
16 Health Administration standards ([29 CFR 1910](#)), *Toxic Substance Control Act of 1976* ([40 CFR 761](#)) and
17 U.S. Department of Energy Orders]. Therefore, revisions made to portions of this unit specific building
18 emergency plan that are not governed by the requirements of [WAC 173-303](#) -350 and -360 (identified in
19 Table J.1) will not be considered as a modification subject to [WAC 173-303-830](#) or Permit
20 Condition I.C.3.

21 **Table J.1. Hanford Facility Documents Containing Contingency Plan**
22 **Requirements of WAC 173-303-350(3)**

Requirement	Permit Attachment 4 Hanford Emergency Management Plan (DOE/RL-94-02)	Building Emergency Plan ¹ HNF-IP-0263-CWC	Addendum J
-350 (3)(a) - A description of the actions which facility personnel must take to comply with this section and WAC 173-303-360	X ² Section 1.3.4	X ² Sections 7.1, 7.2 through 7.2.5, and 7.3 ³ Sections 4.0, 8.2, 8.3, 8.4, and 11.0	X ² Sections J.3.1, J.3.2, through J.3.2.5, and J.3.3 ³ Sections J.3, J.3.4, J.3.5, J.3.6, and J.5

An 'X' indicates requirement applies.
¹ Portions of Permit Attachment 4, *Hanford Emergency Management Plan* (DOE/RL-94-02) not enforceable through Appendix A are not made enforceable by reference in the building emergency plan.
² Permit Attachment 4, *Hanford Emergency Management Plan* (DOE/RL-94-02) contains descriptions of actions relating to the Hanford Site Emergency Preparedness System. Other credible scenarios that exist at CWC and all emergency procedures at CWC that are different from those in Attachment 4, must be identified in the CWC BEP. The description of actions contained in the building emergency plan will be used during an event by a building emergency director.
³ Footnote intended to be blank.

Requirement	Permit Attachment 4 Hanford Emergency Management Plan (DOE/RL-94-02)	Building Emergency Plan¹ HNF-IP-0263-CWC	Addendum J
-350(3)(b) - A description of the actions which shall be taken in the event that a dangerous waste shipment, which is damaged or otherwise presents a hazard to the public health and the environment, arrives at the facility, and is not acceptable to the owner or operator, but cannot be transported pursuant to the requirements of WAC 173-303-370(5) , Manifest system, reasons for not accepting dangerous waste shipments	X ² Section 1.3.4	X ^{2,1} Section 7.2.5.1	X ^{2,4} Section J.3.2.5.1
-350(3)(c) - A description of the arrangements agreed to by local police departments, fire departments, hospitals, contractors, and state and local emergency response teams to coordinate emergency services as required in WAC 173-303-340(4)	X Sections 3.2.3, 3.3.1, 3.3.2, 3.4, 3.4.1.1, 3.4.1.2, 3.4.1.3, 3.7, and Table 3-1		
-350(3)(d) - A current list of names, addresses, and phone numbers (office and home) of all persons qualified to act as the emergency coordinator required under WAC 173-303-360(1) . Where more than one person is listed, one must be named as primary emergency coordinator, and others must be listed in the order in which they will assume responsibility as alternates. For new facilities only, this list may be provided to the department at the time of facility certification (as required by WAC 173-303-810(14)(a)(I)), rather than as part of the permit application.		X ² Sections 3.1 and 13.0	X ⁵ Sections J.2 and J.7
-350(3)(e) - A list of all emergency equipment at the facility (such as fire extinguishing systems, spill control equipment, communications and alarm systems, and decontamination equipment), where this equipment is required. This list must be kept up to date. In addition, the plan must include the location and a physical description of each item on the list, and a brief outline of its capabilities.		X Section 9.0	X Section J.4
-350(3)(f) - An evacuation plan for facility personnel where there is a possibility that evacuation could be necessary. This plan must describe the signal(s) to be used to begin evacuation, evacuation routes, and alternate evacuation routes.	X ³ Figure 7-3 and Table 5-1	X ⁴ Section 1.5	X ⁷ Section J.1 and facility operating record

¹ This footnote intended to be blank

² Emergency Coordinator names and home telephone numbers are maintained with the Patrol Operations Center (telephone number 373-0911) in accordance with Permit Condition II.A.3, and will be updated, at a minimum, monthly.

³ The Hanford Facility (sitewide) signals are provided in Attachment 4, Table 5.1. CWC specific communication equipment and warning systems are provided in section J.4.3.

⁴ Evacuation routes for occupied buildings surrounding the DWMU are posted on information boards within the buildings.

1 **J.1 Building Evacuation Routing (Building Layout)**

2 Evacuation routing maps will be maintained in the facility operating record and provide identification of
3 the primary and secondary staging areas and a general layout of CWC. Alternate evacuation routes will
4 be used on a case by case basis, based on meteorological conditions at the time of the event.

5 **J.2 Building Emergency Director**

6 The Incident Command System (ICS) and staff, with supporting on-call personnel, will meet the
7 requirements of the Emergency Coordinator as identified in [WAC 173-303-360\(1\)](#). The Building
8 Emergency Director (BED) will direct emergency response until the Incident Commander (IC) arrives.
9 The BED becomes a member of the ICP and functions under the direction of the IC. In this role, the BED
10 will continue to manage and direct CWC operations. During events, CWC personnel will perform
11 response duties under the direction of the BED. The senior Hanford Fire Department official manages the
12 Incident Command Post (ICP), unless the event is determined to be primarily a security event, in which
13 case the Hanford Fire Department and Hanford Patrol will operate under a unified command system with
14 Hanford Patrol making all the decisions pertaining to security. These individuals are designated as the IC
15 and as such, have the authority to request and obtain any resources necessary for protecting people and
16 the environment. A listing of BEDs by title, work location, and work telephone number is contained in
17 Section J.7. The BED is on the premises or is available through an 'on-call' list 24-hours-a-day. Names
18 and home telephone numbers of the BEDs are available from the Patrol Operations Center (POC) in
19 accordance with Permit Condition II.A.3.

20 **J.3 Implementation of the Contingency Plan**

21 In accordance with [WAC 173-303-360\(2\)\(b\)](#), whenever there is a release, fire, or explosion, the BED will
22 ensure that trained personnel identify the character, exact source, amount, and aerial extent of any
23 released materials. Identification of waste can be made by activities that can include, but are not limited
24 to, visual inspection of dangerous/mixed waste sampling activities in the field, reference to inventory
25 records, or by consulting with facility personnel. During the emergency, if samples of materials are
26 required, sampling will be performed by qualified personnel and the samples will be analyzed as
27 appropriate. These activities must be performed with a sense of immediacy and will include available
28 information.

29 The BED will use the following procedures of [WAC 173-303-360 \(2\)](#) to implement an emergency event:
30 “If the emergency coordinator determines that the facility has had a release, fire, or explosion which could
31 threaten human health or the environment, he must report his findings as follows:

- 32 (i) If his assessment indicates that evacuation of local areas may be advisable, he must immediately
33 notify appropriate local authorities. He must be available to help appropriate officials decide whether
34 local areas should be evacuated; and
35 (ii) He must immediately notify the department and either the government official designated as the
36 on-scene coordinator, or the National Response Center (using their 24-hour toll free number (800)
37 424-8802).”

38 As soon as possible, after stabilizing event conditions, the BED will determine, in consultation with the
39 site contractor environmental single-point-of-contact, if notification to Washington State Department of
40 Ecology (Ecology) is needed to meet [WAC-173-303-360\(2\)\(d\)](#) reporting requirements. Additional
41 information is found in Permit Attachment 4, *Hanford Emergency Management Plan (DOE/RL-94-02)*,
42 Section 4.2.

43 If review of all available information does not yield a definitive assessment of the danger posed by the
44 incident, a worst case condition will be presumed and appropriate protective actions and notifications will
45 be initiated. The BED is responsible for initiating any protective actions based on their best judgment of
46 the incident.

1 The BED must assess each incident to determine the response necessary to protect the personnel, facility,
2 and the environment. If assistance from Hanford Patrol, Hanford Fire Department, or ambulance units is
3 required, the Hanford Emergency Response Number (911 from site office phones/373-0911 from cellular
4 phones) must be used to contact the Patrol Operations Center and request the desired assistance. To
5 request other resources or assistance from outside the CWC, the Patrol Operations Center business
6 number is used (373-3800).

7 **J.3.1 Protective Actions Responses**

8 Protective actions responses are discussed in the following sections. The steps identified in the following
9 description of actions do not have to be performed in sequence because of the unanticipated sequence of
10 incident events.

11 NOTE: If feasible, classified matter shall be secured in a security container and, if applicable, the
12 intrusion detection system activated. If the emergency is life threatening, the health and safety of
13 personnel shall take precedence over the need to secure classified matter. Security containers, vaults, and
14 vault type rooms shall be inspected on return to the facility to determine whether classified information
15 has been compromised or if any classified matter is missing.

16 **J.3.1.1 Evacuation**

17 If an evacuation is ordered or the evacuation siren sounds at CWC, personnel shall proceed to the staging
18 area (refer to Section J.1).

19 The BED or Staging Area Manager will direct the evacuation; however, to ensure that evacuations are
20 conducted promptly and safely, all personnel will be familiar with the correct evacuation procedure.

21 Area evacuations are either rapid or controlled, as pointed out in the following steps. When possible, the
22 following steps must be conducted concurrently.

Area Evacuation Procedure
<ul style="list-style-type: none">• Halt any operations or work and place the equipment and structures in a safe condition. Use emergency shutdown procedures for rapid evacuation.
<ul style="list-style-type: none">• Use whatever means are available (bullhorns, runners, etc.) to pass the evacuation information to personnel.
<ul style="list-style-type: none">• Evacuate personnel to the staging area; group personnel as follows: potentially contaminated protective clothing, keys immediately available for vehicles, those needing rides. Assist personnel that are temporary/permanently disabled.
<ul style="list-style-type: none">• Conduct personnel accountability. If unable to account for personnel, report personnel accountability results to the Protective Action Coordinator in the Hanford-Emergency Operations Center (Hanford-EOC).
<ul style="list-style-type: none">• Inform IC of any potentially affected personnel (i.e., injured, contaminated, exposed, etc.) once the IC arrives at the ICP.
<ul style="list-style-type: none">• Relay pertinent evacuation information (routes, destination, etc.) to drivers.• Dispatch vehicles as soon as the vehicles are loaded.
<ul style="list-style-type: none">• Report status to the Hanford-EOC, request additional transportation if required, and report if any personnel remain who are performing late shutdown duties.

23 **J.3.1.2 Take Cover**

24 When the Take Cover Alarm is activated, personnel will take cover in the nearest building or trailer and
25 report their location to line management or the Building Emergency Director. A message followed by the
26 Take Cover siren will be transmitted over the area emergency sirens. The following actions must be
27 taken or considered:

- Shut doors and windows and wait for further instructions

- 1 • Secure ventilation system
- 2 • Follow normal exit procedures from radiological areas
- 3 • Lock up classified documents and prepare for a possible evacuation
- 4 • Report your location to the Personnel Accountability Aid or the BED
- 5 • Personnel Accountability Aides will provide accountability status to the Staging Area Manager
- 6 for facility personnel during an event.
- 7 • Inform IC of any potentially affected personnel (i.e., injured, contaminated, exposed, etc.) once
- 8 the IC arrives at the ICP.

9 **J.3.2 Response to Facility Operations Emergencies**

10 Whenever there is an imminent or actual emergency situation, the BED will review the site-wide and
11 CWC emergency response procedure(s), and as required, categorizes and/or classify the event. If
12 necessary, the BED will initiate area protective actions and Hanford Site Emergency Response
13 Organization¹ activation. The steps identified in the following description of actions do not have to be
14 performed in sequence because of the unanticipated sequence of incident events.

15 **J.3.2.1 Loss of Utilities**

16 A case-by-case evaluation will be required for each event to determine loss of utility impacts. When a
17 BED determines a loss of utility impact, actions will be taken to ensure dangerous and/or mixed waste is
18 being properly managed. As necessary, the BED will stop operations and take appropriate actions until
19 the utility is restored.

20 **J.3.2.2 Major Process Disruption/Loss of Plant Control**

21 N/A.

22 **J.3.2.3 Pressure Release**

23 On discovery of an existing or potential pressure hazard at CWC, the following response will be made:

- 24 • Notify personnel to leave the area of the hazard
- 25 • Inform the BED
- 26 • Evacuate affected areas
- 27 • Perform sampling or testing in accordance with recommendations from engineering and industrial
- 28 safety, and (if indicated) repackage any containers with pressure buildup.

29 **J.3.2.4 Fire and/or Explosion**

30 In the event of a fire, the discoverer will activate a fire alarm (pull box); will call 911 from site office
31 phones/373-0911 from cellular phones, or verify that the Hanford Emergency Response Number has been
32 called. Automatic initiation of a fire alarm (through the smoke detectors and sprinkler systems) is also
33 possible.

- 34 • Unless otherwise instructed, personnel will evacuate the area/building by the nearest safe exit and
- 35 proceed to the designated staging area for accountability.
- 36 • On actuation of the fire alarm, ONLY if time permits, personnel will shut down equipment,
- 37 secure waste, and lock up classified materials (or hand carry them out). The alarm automatically
- 38 signals the Hanford Fire Department.
- 39 • The BED will proceed directly to the ICP, obtain all necessary information pertaining to the
- 40 incident, and send a representative to meet Hanford Fire Department.

¹ The description of this organization is found in Permit Attachment 4, Hanford Emergency Management Plan (DOE/RL-94-02) Section 2.2.

- 1 • The BED will provide a formal turnover to the IC, when the IC arrives at the ICP.
- 2 • The BED will inform the Hanford Site Emergency Response Organization as to the extent of the
- 3 emergency (including estimates of dangerous waste, mixed waste, or radioactive material
- 4 quantities released to the environment).
- 5 • If operations are stopped in response to the fire, the BED will ensure that systems are monitored
- 6 for leaks, pressure buildup, gas generation, and ruptures.
- 7 • Hanford Fire Department firefighters will extinguish the fire as necessary.

8 **J.3.2.5 Hazardous Material, Dangerous and/or Mixed Waste Spill**

9 Spills can result from many sources including process leaks, container spills or leaks, damaged packages
10 or shipments, or personnel error. Spills of mixed waste are complicated by the need to deal with the extra
11 hazards posed by the presence of *Atomic Energy Act of 1954* materials.

- 12 • The discoverer will notify the BED and will initiate SWIMS response:
 - 13 Stops work
 - 14 Warns others in the vicinity
 - 15 Isolates the area
 - 16 Minimizes exposure to the hazards
 - 17 Requests the BED Secure ventilation.
- 18 • The BED will determine if emergency conditions exist requiring response from the Hanford Fire
- 19 Department based on classification of the spill and injured personnel, and will evaluate the need
- 20 to perform additional protective actions.
- 21 • If the Hanford Fire Department resources are not needed, the spill will be mitigated with
- 22 resources identified in Section J.4 and proper notifications will be made.
- 23 • If the Hanford Fire Department resources are needed, the BED will call 911 from site office
- 24 phones/373-0911 from cellular phones.
- 25 • The BED will send a representative to meet the Hanford Fire Department.
- 26 • The BED will provide a formal turnover to the IC when the IC arrives at the ICP.
- 27 • The BED will inform the Hanford Site Emergency Response Organization as to the extent of the
- 28 emergency (including estimates of dangerous waste, mixed waste, or radioactive material
- 29 quantities released to the environment).
- 30 • If operations are stopped in response to the spill, the BED will ensure that systems are monitored
- 31 for leaks, pressure buildup, gas generation, and ruptures.
- 32 • Hanford Fire Department will stabilize the spill.

33 **J.3.2.5.1 Damaged or Unacceptable Shipments**

34 During the course of receiving dangerous or mixed waste at CWC, an unanticipated event could be
35 discovered resulting in a conformance issue concerning the waste. In some cases, the conformance issue
36 will result from receiving an off-site shipment, manifested pursuant to Permit Condition II.N.2
37 [WAC 173-303-370](#) that is damaged or otherwise presents a hazard and cannot be transported. Damaged
38 or unacceptable shipments resulting from onsite transfers are not subject to [WAC 173-303-370](#); however
39 conformance issues will be resolved in order to maintain proper records.

40 Regardless of whether the waste is received as an off-site shipment or onsite transfer, the following
41 actions will be taken:

- 42 • Operations management will be notified of the damaged or unacceptable waste to be received.
- 43 • If the conformance issue results in a spill or release, actions described in Section J.3.2.5 will be
- 44 taken

- 1 • The generating organization will be notified of the conformance issue
- 2 • An operations representative, in conjunction with the generating organization, will determine the
- 3 course of action to resolve the conformance issue.

4 **J.3.3 Prevention of Recurrence or Spread of Fires, Explosions, or Releases**

5 The BED, as part of the ICP, will take the steps necessary to ensure that a secondary release, fire, or
6 explosion will not occur. The BED will take measures, where applicable, to stop processes and
7 operations; collect and contain released wastes and remove or isolate containers. The BED will also
8 monitor for leaks, pressure buildups, gas generation, or ruptures in valves, pipes or other equipment,
9 whenever this is appropriate.

10 **J.3.4 Incident Recovery and Restart of Operations**

11 A written recovery plan is needed following an event when the recovery actions could result in further
12 risk to human health or the environment. This written recovery plan will be developed in accordance with
13 Permit Attachment 4, *Hanford Emergency Management Plan* (DOE/RL-94-02), Section 9.2. Permit
14 Attachment 4, *Hanford Emergency Management Plan* (DOE/RL-94-02), Section 5.1, also discusses
15 different reports to outside agencies. If this contingency plan was implemented Ecology will be notified
16 before operations can resume [[WAC 173-303-360\(2\)\(j\)](#)]. This notification must include the following
17 statements:

- 18 • No waste that may be incompatible with the released material is treated, stored, or disposed of
19 until cleanup procedures are completed. [WAC 173-303-360\(2\)\(i\)](#); and
- 20 • All emergency equipment listed in the contingency plan has been cleaned, and is fit for its
21 intended use before operations are resumed. [WAC 173-303-360\(2\)\(i\)\(ii\)](#).

22 The notification required by [WAC 173-303-360\(2\)\(j\)](#) can be made via telephone and documentation of
23 the notification will be included in the CWC operating record. Additional information that Ecology
24 requests will be included in the required 15-day report identified in Section J.5 and required by [WAC](#)
25 [173-303-360\(2\)\(k\)](#).

26 For emergencies not involving activation of the Hanford-EOC, the BED will ensure that conditions are
27 restored to normal before operations are resumed. If the Hanford Site Emergency Response Organization
28 was activated and the emergency phase is complete, a special recovery organization could be appointed at
29 the discretion of DOE-RL to restore conditions to normal. This process is detailed in RL and contractor
30 emergency procedures. The makeup of this organization depends on the extent of the damage and the
31 effects. The onsite recovery organization will be appointed by the appropriate contractor's management.

32 **J.3.5 Incompatible Waste**

33 After an emergency, the BED or the onsite recovery organization will ensure that no waste that may be
34 incompatible with the released material is treated, stored, or disposed of until cleanup procedures are
35 completed pursuant to [WAC 173-303-360\(2\)\(i\)](#). Cleanup actions are taken by CWC personnel or other
36 assigned personnel. Permit Attachment 4, *Hanford Emergency Management Plan* (DOE/RL-94-02),
37 Section 9.2.3, describes action to be taken.

38 Waste from cleanup activities will be designated and managed as newly generated waste. A field check
39 for compatibility is performed before storage. Incompatible waste will not be placed in the same
40 container and will follow the requirements of [WAC 173-303-630\(9\)](#). Containers of waste will be placed
41 in approved storage areas appropriate for their compatibility class.

42 If incompatibility of waste was a factor in the incident, the BED or the onsite recovery organization will
43 ensure that the cause is identified and corrected.

1 **J.3.6 Post Emergency Equipment Maintenance and Decontamination**

2 The BED will ensure that all emergency equipment listed in section J.4 is cleaned and fit for its intended
3 use before operations will resume in accordance with [WAC 173-303-360\(2\)\(i\)\(ii\)](#). Depleted stocks of
4 neutralizing and absorbing materials will be replenished; protective clothing will be cleaned or disposed
5 of and restocked, etc.

6 All equipment used during an incident is decontaminated (if practicable) or disposed of as spill debris.
7 Decontaminated equipment will be checked for proper operation before storage for subsequent use.
8 Consumable and disposable materials will be restocked. Fire extinguishers will be replaced.

9 **J.4 Emergency Equipment**

10 Emergency resources and equipment for the CWC are presented in this section.

11 **J.4.1 Fixed Emergency Equipment**

Fixed Emergency Equipment

Type	Location	Capability
Dry pipe valve sprinkler system	2401-W, 2402-W 2402-WB through 2402-WL 2403-WA through 2403-WD 2404-WA	Assist in fire control
Fire Alarms	Storage buildings	Warn Personnel of Fire

12 **J.4.2 Portable Emergency Equipment**

Portable Emergency Equipment

Type	Location	Capability
Fire extinguishers	Storage building	Fire control
Dry chemical	2401-W 2402-W through 2402-WL 2403-WA through 2403-WD 2404-WA Flammable Waste Storage Modules 2120-WA and 2120-WB Sprung Structures Waste Storage Pad	Class A, B, and C fires
Metlx	Alkali Metal Waste Storage Modules	Class D fires

13 **J.4.3 Communications Equipment/Warning Systems**

Communications Equipment

TYPE	LOCATION	CAPABILITY
Hand-held radios	Portable	Communications
Telephone	Waste Receiving and Staging Area	Communications

1 **J.4.4 Personal Protective Equipment**

Personal Protective Equipment

Type	Location	Capability
Respirators	MO-614	Protection from respiratory hazards
PPE clothing	Emergency Response Trailers	Protection from specific exposure hazards

2 **J.4.5 Spill Control and Containment Supplies**

Spill Kits and Spill Control Equipment

Type	Location	Capability
Spill control kit	Throughout the facility	Cleanup organic solvents, inorganic solvents, acids, caustics, oxidizers, and polychlorinated biphenyl (PCB) spills

3 **J.4.6 Incident Command Post**

4 The ICPs will be identified in a fixed location or the IC will determine a location appropriate for the
5 event. Emergency resource materials are stored at each location. The IC could activate the Hanford Fire
6 Department Mobile Command Unit if necessary.

7 **J.5 Required Reports**

8 Post-incident written reports are required for certain incidents on the Hanford Site. The reports are
9 described in Permit Attachment 4, *Hanford Emergency Management Plan* (DOE/RL-94-02), Section 5.1.

10 Facility management will note in the Hanford Facility Operating Record, CWC File, the time, date and
11 details of any incident that requires implementation of the contingency plan. Within fifteen (15) days
12 after the incident, a written report will be submitted to Ecology. The report will include the elements
13 specified in [WAC 173-303-360\(2\)\(k\)](#).

14 **J.6 Plan Location and Amendments**

15 Copies of Attachment 4 [*Hanford Emergency Management Plan* (DOE/RL-94-02)] will be maintained per
16 permit condition I.M.1. Copies of this Building Emergency Plan, and CWC Permit Addendum J, will be
17 maintained at the following locations:

- 18 • MO-720 Conference Room
- 19 • MO-438

20 These documents will be available in either hard copy or electronic form.

21 This plan will be reviewed and immediately amended as necessary, in accordance with Permit
22 Attachment 4, *Hanford Emergency Management Plan* (DOE/RL-94-02), Section 14.3.1.1.

23 **J.7 Facility/Building Emergency Response Organization Building Emergency Director**

CWC BEDs		
Title	Location	Phone
Operations Management	MO-720 Complex	373-1068

24 Names and home telephone numbers of the BEDs are available from the Patrol Operations Center
25 (373-0911), in accordance with the Permit Condition II.A.3.

26

1
2
3
4
5

This page intentionally left blank.

DRAFT